YELLOWSTONE BISON POPULATION MANAGEMENT ACTIVITIES

This report summarizes management activities associated with implementation of the Record of Decision for the Final Environmental Impact Statement and Bison Management Plan for the State of Montana and Yellowstone National Park for the time period 1 September 2007 through 31 August 2008. The reporting period for this summary is **16 April through 30 April 2008.**

PARKWIDE DISTRIBUTION:

*The information in the following paragraph is **not** intended as a population estimate. This information provides an *approximate* number of bison in certain geographic areas that have been surveyed in the past month. In no way is this information complete and accurate enough for a population estimate.

In the interior some mixed groups, totaling ~200, moving around Hayden Valley, the Lakeshore and in Pelican Valley. There are approximately 400 bison in the Geyser Basins with some movement toward the park's western boundary. There are approximately 165 bison out of the park, west of Hwy 191 and on Hwy 191 itself. There are approximately 100 bison between 191 and Cougar Meadows inside the park. On the Northern Range bison are primarily utilizing Blacktail, Hellroaring Slope and Little America. There are now roughly 140 bison on Blacktail Deer Plateau. There are approximately 300 bison in the Gardiner basin, including ~215 in the Eagle Creek area.

Population Estimate/Park-wide Flight

We completed an additional late winter count of the Yellowstone bison population on April 11, 2008 to (1) document distribution in the Interagency Bison Management Plan zones near the park boundary and adjacent areas in Montana, (2) monitor abundance on wintering ranges from which bison often migrate toward the boundaries during calving, and (3) estimate population size.

We observed 1,970 bison during the survey, including 239 held for release within the Stephen's Creek Capture Facility, 615 on the Northern Range, and 1,116 in the Central Interior (Figures 1 and 2: attachments). Our corrected population estimate based on established sightability indices was 2,145 bison, with a 95% confidence interval of 2,048 – 2,528 (Table 1). Almost all (88%) bison on the Northern Range were observed near or adjacent to the boundary, including 239 (28%) within the Stephen's Creek Capture Facility, 343 (40%) in the Gardiner basin, and 168 (20%) on the Blacktail Deer Plateau (Tables 1 and 2). Relatively few (231, 21%) of the 1,116 bison counted in the Central Interior were observed within the Western Management Zone and central herd animals were observed in all of the interior valleys, including 539 (49%) in the Firehole, 114 (10%) in the Gibbon, 83 (7%) in the Hayden, and 147 (13%) in the Pelican Valleys (Tables 1 and 2).

There may be fewer than 50% of the 4,694 individuals counted in the population during this previous summer remaining in the population. The total number of animals removed through April 15th was 1,710 bison including 166 hunting kills, 4 management facility mortalities, 6 management shootings, and 1,534 consigned to slaughter or quarantine. Annual natural mortality estimated for adult animals ranges from 4-15% and >20% for juveniles and is affected by winter severity (Fuller et al. 2007). Therefore, at least 400 to 700 additional animals may die due to predation, malnutrition, other natural causes (e.g. drowning), or motor vehicle accidents during winter. Our population estimate (2,048-2,528) is corroborated by the pre-winter estimate

reduced by known numbers of management removals and estimated natural mortality. Thus, we believe the Yellowstone bison population has reached the management conservation threshold of 2,300 animals.

Table 1. The distribution of bison observed in each survey unit during an aerial survey in and adjacent to Yellowstone National Park on April 11, 2008.

Survey Unit	Bison observed
Held within Stephen's Creek Facility	239
Northern Range	615
Hayden Valley	83
Pelican Valley	147
Madison-Gibbon Rivers	199
Firehole River	539
West Yellowstone	148
Total	1,970
95% confidence interval	2,048 - 2,528
Population estimate	2,145

Table 2. The distribution of bison observed in Interagency Bison Management Plan (IBMP) zones in and adjacent to Yellowstone National Park during an aerial survey on April 11, 2008.

NORTHERN MANAGEMENT		WESTERN	
MONITORING AREA	No. Bison	MANAGEMENT	No. Bison
	Observed	MONITORING AREA	Observed
IBMP Zone 1	69	IBMP Zone 1	88
IBMP Zone 2	139	IBMP Zone 2	58
Eagle Creek/Bear Creek	135	West of Madison Junction	85
Hellroaring/Cottonwood Creek	52	Total	231
Blacktail Deer Plateau	168		
Swan Lake Flats/Gardner's Hole	26		
Stephen's Creek Capture Facility	239		

Total 828

An additional management zone flight was conducted on April 27, 2008 to determine bison numbers and distribution near the northern and western boundaries.

Table 2. The distribution of bison observed in Interagency Bison Management Plan (IBMP) zones in and adjacent to Yellowstone National Park during an aerial survey on April 27, 2008.

NORTHERN MANAGEMENT	WESTERN					
MONITORING AREA	No. Bison	MANAGEMENT	No. Bison			
	Observed	MONITORING AREA	Observed			
IBMP Zone 1	91	IBMP Zone 1	104			
IBMP Zone 2	4	IBMP Zone 2	165			
Eagle Creek/Bear Creek	215	West of Madison Junction	11			
Blacktail Deer Plateau	146	Firehole Drainage	408			
Total	456					
		Total	688			

HAZING OPERATIONS:

Hazing operations that occur near the North and West Boundaries are primarily conducted and reported by the YNP Division of Resource Management and Visitor Protection and MT Department of Livestock, respectively.

North Boundary Area: 22 hazing events occurred this reporting period.

* Hazing occurred almost daily. Many of the hazing reports have not been filed yet because the officers in charge are working overtime every day with hazing and capture operations. The days that hazing occurred are still listed and information regarding those days will be included when information becomes available. Thank you for your patience and understanding.

Hazing occurred on the following dates.

April 16 - 21

24 April: 6 bulls were hazed from the Royal Teton Ranch to Stephens Ck

25 April: 38 mixed bison were hazed from the Royal Teton Ranch to Stephens Ck; 16 bison were hazed from mile marker 5 on Hwy 89 up to Little Trail Creek April 26 - 30

Every day from 1 April through 15 April: information regarding the hazing conducted on these days will be reported when available.

West Boundary Area: 0 hazing events were reported this period.

CAPTURE OPERATIONS:

Capture operations that occur near the North and West Boundaries are primarily conducted and reported by the YNP Division of Resource Management and Visitor Protection and MT Department of Livestock, respectively.

North Boundary Area: 0 bison were reported captured this reporting period

Adding the numbers below comes to an estimated total of 1619 bison captured. Working backwards using numbers of bison shipped, held, sent to quarantine, etc. comes up with 1645 bison captured and is probably a more accurate estimate for total bison captured at Stephens Creek Capture Facility.

8 Feb: 54 bison captured 18 March: 35 bison captured 10 Feb: 42 bison captured 19 March: 4 bison captured 21 March: 120 bison captured 11 Feb: 4 bison captured 12 Feb: 44 bison captured 22 March: 95 bison captured 15 Feb: 31 bison captured 25 March: 61 bison captured 18 Feb: 100 bison captured 28 March: 35 bison captured 20 Feb: 15 bison captured 29 March: 33 bison captured 25 Feb: 190 bison captured 30 March: 23 bison captured 26 Feb: 18 bison captured 1 April: 119 bison captured 27 Feb: 19 bison captured 4 April: 40 bison captured 9 April: 120 bison captured 28 Feb: 123 bison captured 2 March: 12 bison captured 13 April: 2 bison captured 6 March: 106 bison captured 7 March: 87 bison captured 8 March: 76 bison captured 10 March: 11 bison captured

*10 April: 15 bison escaped from the Stephen's Creek Capture Facility during a sorting procedure due to improper gate closure/latch failure.

West Boundary Area: 3 bison were reported captured this reporting period

26 Feb: 30 bison captured 4 March: 51 bison captured 5 March: 13 bison captured 11 March: 13 bison captured

8 April: 34 bison captured (Horse Butte) 9 April: 5 bison captured (Duck Ck)

28 April: 3 bull bison captured

Bison Transported to Slaughter

Boundary	Bison to	Total to
	Slaughter this	Slaughter
	reporting	(Sept 1 - pres)
	period	

West	3	149
North	0	1276
Total	3	1425

Stephen's Creek 11 Feb: 37 shipped 12 Feb: 30 shipped 13 Feb: 16 shipped 14 Feb: 44 shipped 15 Feb: 17 shipped 19 Feb: 31 shipped 20 Feb: 55 shipped 21 Feb: 60 shipped 26 Feb: 48 shipped 27 Feb: 69 shipped	Stephen's Creek cont. 25 March: 20 shipped 26 March: 22 shipped 27 March: 16 shipped 28 March: 16 shipped 31 March: 20 shipped 1 April: 13 shipped 2 April: 34 shipped 3 April: 20 shipped 4 April: 37 shipped 7 April: 15 shipped	Horse Butte 27 Feb: 30 shipped 5 March: 38 shipped 6 March: 26 shipped 12 March: 13 shipped 9 April: 17 shipped 10 April: 22 shipped 29 April: 3 shipped
28 Feb: 68 shipped 3 March: 69 shipped	8 April: 45 shipped 9 April: 40 shipped	
4 March: 14 shipped	11 April: 18 shipped	
5 March: 62 shipped	14 April: 21 shipped	
11 March: 59 shipped	15 April: 20 shipped	
13 March: 61 shipped		
14 March: 25 shipped 17 March: 57 shipped		
18 March: 62 shipped		
20 March: 21 shipped		
21 March: 14 shipped		

Bison Transported to Quarantine:

Boundary	Bison to Quarantine this	Total to Quarantine
	reporting period	(Sept 1 – pres)
West	0	0
North	0	112

Capture Pen Mortalities:

Boundary	Capture Pen	Total Pen Mortality
	Mortality this	this operating
	reporting	season
	period	$(Sept \ 1-pres)$
West	0	0
North	3	10

27 February: 1 calf with a broken leg sustained outside the pen was dispatched

2 March: 2-3 yr old bull was gored by an older bull in a holding pen and had to be dispatched

13 March: 1 adult cow with a severe shoulder injury was humanely dispatched 13 April: 3 newborn calves died from natural causes (they were born on the 9th and 10th)

14 April: 1 adult cow (mother to one of the calves listed above) died from natural causes

18 April: 1 adult cow died while trying to give birth (breeched)

22 April: 1 newborn calf (6 days old) died from natural causes

27 April: 1 3 yr old cow was nearly dead (unable to move or respond) from natural causes and

was euthanized

Other Information:

Newborn Calves held at Stephens Creek: 53

Seropositive Pregnant Cows held at Stephens Creek: 18

Radio Collared Cows not tested but held at Stephens Creek: 26

Total Bison being held at Stephens Creek for spring release: 288 (235 adults and yearlings)

INTERAGENCY BISON MANAGEMENT PLAN SHOOTING OPERATIONS:

Boundary	Bison Shot this reporting period	Total Shot this operating season
West	0	0
North	0	6

11 April: 5 bulls shot near Carbella fishing access, west of Yankee Jim Canyon

11 April: 1 bull shot near milepost 5 on Hwy 89

HUNTER HARVEST:

The numbers are from reports by FWP wardens/biologists, hunters, NPS employees and BFC.

Montana Fish, Wildlife and Parks Bison Hunt (Nov 15 – Feb 15)

Boundary	FWP Hunter Take this reporting period	Total FWP Hunter Take this operating season (Nov 15 – pres)
West	0	50
North	0	13
Total	0	63

Native American Tribal Treaty Right Bison Hunts

Boundary	Nez Perce Hunter Take this reporting period	Total Nez Perce Hunter Take this operating season (Jan 26 – Mar 3?)	Confederated Salish and Kootenai Hunter Take this reporting period	Total Confederated Salish and Kootenai Hunter Take this operating season (Nov 15 – Jan 31)
West	0	19	0	38
North	0 45		0	1
Total	0	64	0	39

Year	Boundary	Month	Hazing Events	Mngmt Shootings	Total Captured	Captured &Tested	Slaughtered & Not Tested	Slaughtered & Tested Positive	Slaughtered & Tested Negative	Released/Held & Tested Negative	Released & Not Tested	Vaccinated	Quarantine	Capture/Pen Mortality	Hunter Take
2007	West	September	0	0	0	0	0	0	0	0	0	0	0	0	0
2007	North	September	0	0	0	0	0	0	0	0	0	0	0	0	0
2007	West	October	0	0	0	0	0	0	0	0	0	0	0	0	0
2007	North	October	0	0	0	0	0	0	0	0	0	0	0	0	0
2007	West	November 1-14	0	0	0	0	0	0	0	0	0	0	0	0	0
2007	North	November 1-14	0	0	0	0	0	0	0	0	0	0	0	0	0
2007	West	November 15-30	0	0	0	0	0	0	0	0	0	0	0	0	10
2007	North	November 15-30	0	0	0	0	0	0	0	0	0	0	0	0	1
2007	West	December 1-15	0	0	0	0	0	0	0	0	0	0	0	0	4
2007	North	December 1-15	1	0	0	0	0	0	0	0	0	0	0	0	4
2007	West	December 16-31	0	0	0	0	0	0	0	0	0	0	0	0	14
2007	North	December 16-31	1	0	0	0	0	0	0	0	0	0	0	0	3
2008	West	January 1-15	0	0	0	0	0	0	0	0	0	0	0	0	26
2008	North	January 1-15	1	0	0	0	0	0	0	0	0	0	0	0	1

Table continued on next page.

				1	1					1	1				
Year	Boundary	Month	Hazing Events	Mngmt Shootings	Total Captured	Captured &Tested	Slaughtered & Not Tested	Slaughtered & Tested Positive	Slaughtered & Tested Negative	Released/Held & Tested Negative	Released & Not Tested	Vaccinated	Quarantine	Capture/Pen Mortality	Hunter Take
2008	West	January 16-31	0	0	0	0	0	0	0	0	0	0	0	0	23
2008	North	January 16-31	2	0	0	0	0	0	0	0	0	0	0	0	3
2008	West	February 1-13	0	0	0	0	0	0	0	0	0	0	0	0	16
2008	North	February 1-13	9	0	144	18	82	0	1	0	0	0	0	0	7
2008	West	February 14-29	0	0	30	0	30	0	0	0	0	0	0	0	9
2008	North	February 14-29	7	0	496	0	375	0	17	0	0	0	0	1	39
2008	West	March 1-14	0	0	77	0	77	0	0	0	0	0	0	0	5
2008	North	March 1-14	15	0	292	0	290	0	0	0	0	0	0	2	1
2008	West	March 15-31	1	0	0	0	0	0	0	0	0	0	0	0	0
2008	North	March 15-31	31	0	406	201	187	61	0	66	0	0	74	0	0
2008	West	April 1-15	0	0	39	0	39	0	0	0	0	0	0	0	0
2008	North	April 1-15	23	6	281	320	126	137	0	127	0	24	38	4	0
2008	West	April 16-30	0	0	3	0	3	0	0	0	0	0	0	0	0
2008	North	April 16-30	22	0	0	0	0	0	0	0	0	0	0	3	0
Summary			113	6	1768	539	1209	198	18	193	0	24	112	10	166